
From: Hoff, David
To: Patterson, Leslie; Weimer, Noreen
Sent: 6/7/2016 3:47:52 PM
Subject: RE: South Dayton Dump FOIA Request - Search Terms [BRICKER-WS.FID33029]

Leslie and Noreen,

Here is the compound search string I condensed from their submitted search terms:

((Springboro OR "1975 Dryden" OR "south Dayton dump" OR "Broadway dump") AND ("fly ash" OR transformers OR PCBs OR solvents OR waste OR disposal OR transport OR hazardous OR DP&L OR DPL OR "Dayton power and light" OR "Dayton power & light" OR Grillot OR Grillot OR Boesch OR Ottoson)) OR ((Grillot OR Grillot OR Boesch OR Ottoson) AND (DP&L OR DPL OR "Dayton power and light" OR "Dayton power & light" OR "fly ash" OR disposal OR waste OR solvents OR PCBs OR transformers))

Here is the same string with Springboro, 1975 Dryden, and Broadway Dump replaced with SDDL:

((SDDL OR "south Dayton dump") AND ("fly ash" OR transformers OR PCBs OR solvents OR waste OR disposal OR transport OR hazardous OR DP&L OR DPL OR "Dayton power and light" OR "Dayton power & light" OR Grillot OR Grillot OR Boesch OR Ottoson)) OR ((Grillot OR Grillot OR Boesch OR Ottoson) AND (DP&L OR DPL OR "Dayton power and light" OR "Dayton power & light" OR "fly ash" OR disposal OR waste OR solvents OR PCBs OR transformers))

If this looks reasonable to you, we can send it back to the requester for concurrence. I think that this string run against 28 custodians will likely return multiple thousands of documents (especially if we are running a Lotus collection as well as Outlook).

From: Patterson, Leslie
Sent: Tuesday, June 07, 2016 10:26 AM
To: Weimer, Noreen ; Hoff, David
Subject: RE: South Dayton Dump FOIA Request - Search Terms [BRICKER-WS.FID33029]

Noreen and David, here would be my suggested edits and comments on the list.

Leslie Patterson
Remedial Project Manager
U. S. Environmental Protection Agency, Region 5
Superfund Remedial Response, SR-6J
77 West Jackson Boulevard
Chicago, IL 60604
tel: (312) 886-4904
fax: (312) 692-2491
patterson.leslie@epa.gov

From: Weimer, Noreen
Sent: Tuesday, June 07, 2016 9:54 AM
To: Schirra, Christine <CSchirra@bricker.com>; Hoff, David <hoff.david@epa.gov>
Cc: Patterson, Leslie <patterson.leslie@epa.gov>; Hasman, David <DHasman@bricker.com>
Subject: RE: South Dayton Dump FOIA Request - Search Terms [BRICKER-WS.FID33029]

Christine:

With regards to Tier 1 (28 people) and Tier 2 (6 people). Hope this helps.

With regard to search terms, both David and Leslie can help you out on those.

Thanks.

From: Schirra, Christine [<mailto:CSchirra@bricker.com>]

Sent: Tuesday, June 07, 2016 9:43 AM

To: Hoff, David <hoff.david@epa.gov>; Weimer, Noreen <weimer.noreen@epa.gov>

Cc: Patterson, Leslie <patterson.leslie@epa.gov>; Hasman, David <DHasman@bricker.com>

Subject: South Dayton Dump FOIA Request - Search Terms [BRICKER-WS.FID33029]

David & Noreen,

Thank you again for taking the time to speak with us last week regarding your procedure for conducting email searches. In follow up to our call, attached please find a draft proposed list of search terms for use in conducting searches of electronic emails. Before we mutually agree on a final list of search terms to use, please let us know, after you speak with the proper person on this case, how you recommend to edit these search terms to account for particular terminology that US EPA may use that we would be unaware of. Please also let us know if you have other suggestions for how to edit these search terms, in terms of substance, quantity, or otherwise.

Noreen, were you able to learn any information about the number of potential custodians, and the ratio of Tier 1 versus Tier 2 custodians?

Please don't hesitate to reach out to Dave Hasman or me with any questions. Thank you.

Christy

The logo for Bricker & Eckler LLP, featuring a small icon of a person at a desk to the left of the text "Bricker & Eckler LLP".

Christine Rideout Schirra

Bricker & Eckler LLP | 100 South Third Street | Columbus, OH 43215

Direct Dial 614.227.8810 | cschirra@bricker.com | [v-card](#) | www.bricker.com

This electronic transmission contains information from the law firm of Bricker & Eckler LLP which is privileged, confidential or otherwise the exclusive property of the intended recipient or Bricker & Eckler LLP. This information is intended for the use of the individual or entity that is the intended recipient. If you have received this electronic transmission in error, please notify us by telephone at 614-227-8899, or by electronic mail at webmaster@bricker.com. Please promptly destroy the original transmission. Thank you for your assistance.